

**CD8A / CD8 Alpha Rat anti-Dog Monoclonal (FITC) Antibody - LS-C127399 - LSBio**

<b>CatalogID:</b>	LS-C127399
<b>Target:</b>	CD8a molecule
<b>Synonyms:</b>	CD8A Antibody, CD8a molecule Antibody, CD8a antigen Antibody, OKT8 T-cell antigen Antibody, Leu2 T-lymphocyte antigen Antibody, T8 T-cell antigen Antibody, T cell co-receptor Antibody, p32 Antibody, CD8 Antibody, Leu2 Antibody, T-cell antigen Leu2 Antibody
<b>Host</b>	CD8A antibody was produced in Rat
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	CD8A / CD8 Alpha antibody was raised against Dog
<b>Antigen Type:</b>	Fusion protein
<b>Immunogen:</b>	CD8A / CD8 Alpha antibody was raised against canine CD8a chimeric human IgG1 Fc fusion protein.
<b>Specificity:</b>	Recognizes canine CD8a transfectants.
<b>Reactivity:</b>	Dog
<b>Purification:</b>	Protein G purified
<b>Presentation:</b>	PBS, pH 7.4, 1% BSA, 0.09% sodium azide
<b>Recommended Storage:</b>	May be stored at 4°C for short-term only. For long-term storage and to avoid repeated freezing and thawing, aliquot and store at -20°C. Aliquots are stable for at least 12 months at -20°C. Sensitive to light.
<b>Usage Summary:</b>	Suitable for use in Flow cytometry: Neat-1:5; 10 ul labels 10 <sup>6</sup> cells in 100ul.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 µg
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences