

**NCAM / CD56 Mouse anti-Human Monoclonal (FITC) Antibody - LS-C127780 - LSBio**

<b>CatalogID:</b>	LS-C127780
<b>Target:</b>	neural cell adhesion molecule 1 (NCAM1)
<b>Synonyms:</b>	NCAM1 Antibody, CD56 Antibody, CD56 antigen Antibody, MSK39 Antibody, NCAM-1 Antibody, N-CAM-1 Antibody, NCAM Antibody
<b>Family / Subfamily:</b>	Immunoglobulin / not assigned-Immunoglobulin
<b>Host</b>	NCAM1 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	NCAM / CD56 antibody was raised against Human
<b>Immunogen:</b>	NCAM / CD56 antibody was raised against small cell lung carcinoma.
<b>Specificity:</b>	Recognizes human CD56.
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein G purified
<b>Presentation:</b>	PBS, pH 7.4, 1% BSA, 0.09% sodium azide
<b>Recommended Storage:</b>	May be stored at 4°C for short-term only. For long-term storage and to avoid repeated freezing and thawing, add sterile 40-50% glycerol, aliquot and store at -20°C. Aliquots are stable for at least 12 months at -20°C. Sensitive to light.
<b>Usage Summary:</b>	Suitable for use in Flow cytometry: Neat; 10 ul labels 10 <sup>6</sup> cells in 100ul.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 µg
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/24/2014

© 2014 LifeSpan BioSciences