

NCAM / CD56 Mouse anti-Human Monoclonal (PE) (MEM-188) Antibody - LS-C127785 - LSBio	
<b>CatalogID:</b>	LS-C127785
<b>Target:</b>	neural cell adhesion molecule 1 (NCAM1)
<b>Synonyms:</b>	NCAM1 Antibody, CD56 Antibody, CD56 antigen Antibody, MSK39 Antibody, NCAM-1 Antibody, N-CAM-1 Antibody, NCAM Antibody
<b>Family / Subfamily:</b>	Immunoglobulin / not assigned-Immunoglobulin
<b>Host</b>	NCAM1 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG2a
<b>Clone Name:</b>	MEM-188
<b>Conjugations:</b>	Phycoerythrin (PE)
<b>Immunogen Species:</b>	NCAM / CD56 antibody was raised against Human
<b>Immunogen:</b>	NCAM / CD56 antibody was raised against cD56.
<b>Specificity:</b>	Recognizes human CD56 antigen present on NK cells, 180kD. Reacts with 180kD isoform characteristic for leukocytes.
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	BSA, sodium azide
<b>Recommended Storage:</b>	May be stored at 4°C before opening. DO NOT FREEZE! Stable at 4°C as an undiluted liquid. Dilute only prior to immediate use. Stable for at least 12 months at 4°C. Sensitive to light.
<b>Usage Summary:</b>	Suitable for use in Flow cytometry: 5 ul labels 10 <sup>6</sup> cells.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	500 µl
<b>Requested From:</b>	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/24/2014	
© 2014 LifeSpan BioSciences	