

**NCR1 / NKP46 Mouse anti-Bovine Monoclonal (PE) Antibody - LS-C131059 - LSBio**

<b>CatalogID:</b>	LS-C131059
<b>Target:</b>	natural cytotoxicity triggering receptor 1 (NCR1)
<b>Synonyms:</b>	NCR1 Antibody, CD335 Antibody, HNKp46 Antibody, NK-p46 Antibody, Lymphocyte antigen 94 homolog Antibody, NK cell-activating receptor Antibody, CD335 antigen Antibody, LY94 Antibody, NKP46 Antibody
<b>Family / Subfamily:</b>	Immunoglobulin / not assigned-Immunoglobulin
<b>Host</b>	NCR1 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Conjugations:</b>	Phycoerythrin (PE)
<b>Immunogen Species:</b>	NCR1 / NKP46 antibody was raised against Bovine
<b>Immunogen:</b>	NCR1 / NKP46 antibody was raised against fusion protein consisting of the extracellular region of bovine CD335.
<b>Specificity:</b>	Recognizes bovine CD335, also known as NKp46 and Natural cytotoxicity triggering receptor 1.
<b>Reactivity:</b>	Bovine
<b>Purification:</b>	Protein G purified
<b>Reconstitution:</b>	Sterile distilled water or PBS
<b>Presentation:</b>	Lyophilized from PBS, pH 7.4, 1% BSA, 0.09% sodium azide
<b>Recommended Storage:</b>	May be stored at 4°C before opening. DO NOT FREEZE! Stable at 4°C as an undiluted liquid. Dilute only prior to immediate use. Stable for at least 12 months at 4°C. Sensitive to light.
<b>Usage Summary:</b>	Suitable for use in Flow cytometry: Neat-1:5; 10 ul labels 10 <sup>6</sup> cells in 100ul.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 tst
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/25/2014

© 2014 LifeSpan BioSciences