

FCGR1A / CD64 Mouse anti-Human Monoclonal (FITC) (10.1) Antibody - LS-C134531 - LSBio

<b>CatalogID:</b>	LS-C134531
<b>Target:</b>	Fc fragment of IgG, high affinity Ia, receptor (CD64) (FCGR1A)
<b>Synonyms:</b>	FCGR1A Antibody, CD64A Antibody, CD64 Antibody, CD64 antigen Antibody, FCG1 Antibody, FcgammaRIa Antibody, IGFR1 Antibody, IgG Fc receptor I Antibody, Fc-gamma receptor I A1 Antibody, Fc-gamma RIA Antibody, FCGR1 Antibody, Fc gamma receptor Antibody, Fc-gamma RI Antibody, FCRI Antibody
<b>Host</b>	FCGR1A antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Clone Name:</b>	10.1
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	FCGR1A / CD64 antibody was raised against Human
<b>Immunogen:</b>	FCGR1A / CD64 antibody was raised against human rheumatoid synovial fluid cells/monocytes.
<b>Specificity:</b>	CD64 molecule of 72 kd from gene Fc gamma RIA.
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	50 mM sodium phosphate, pH 7.5, 100 mM potassium chloride, 150 mM sodium chloride, 5% Glycerol, 0.2% BSA, 0.04% sodium azide
<b>Recommended Storage:</b>	Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light.
<b>Usage Summary:</b>	Function: Blocks binding of Fc gamma RI to immunoglobulin opsonized cells.
<b>Uses:</b>	Western blot, Flow Cytometry, Functional Assay (Optimal dilution to be determined by the researcher)
<b>Size:</b>	120 tst
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/25/2014

© 2014 LifeSpan BioSciences