


| TNFRSF9 / 4-1BB / CD137 Mouse anti-Human Monoclonal (RPE) (4B4-1) Antibody - LS-C134759 - LSBio | |
|---|--|
| LODIU | |
| CatalogID: | LS-C134759 |
| Target: | tumor necrosis factor receptor superfamily, member 9 (TNFRSF9) |
| Synonyms: | TNFRSF9 Antibody, 4-1BB ligand receptor Antibody, 4-1BB Antibody, CD137 antigen Antibody, CD137 Antibody, Homolog of mouse 4-1BB Antibody, ILA Antibody, Receptor protein 4-1BB Antibody, T cell antigen ILA Antibody, T-cell antigen 4-1BB homolog Antibody, T-cell antigen ILA Antibody, CDw137 Antibody |
| Family / Subfamily: | TNF Receptor / not assigned-TNF Receptor |
| Host | TNFRSF9 antibody was produced in Mouse |
| Clonality: | Monoclonal |
| Isotype: | IgG1,k |
| Clone Name: | 4B4-1 |
| Conjugations: | R. Phycoerythrin (RPE) |
| Immunogen Species: | TNFRSF9 / 4-1BB / CD137 antibody was raised against Human |
| Immunogen: | TNFRSF9 / 4-1BB / CD137 antibody was raised against ectodomain of recombinant human 4-1BB fusion protein. |
| Specificity: | CD137 molecule of about 35 kd from activated T cells. |
| Reactivity: | Human |
| Purification: | Gel filtration |
| Presentation: | 50 mM sodium phosphate, pH 7.5, 500 mM potassium chloride, 150 mM sodium chloride, 15% Glycerol, 0.2% BSA, 0.04% sodium azide |
| Recommended Storage: | Store at +4°C. Do not freeze. Product is photosensitive and should be protected from light. |
| Usage Summary: | Function: Blocks binding of CD137 hulg to Raji cells. Immobilized mAb induces TNF a production by monocytes. |
| Uses: | Flow Cytometry, ELISA, Functional Assay (Optimal dilution to be determined by the researcher) |
| Size: | 120 tst |

Flow Cytometry Image:

Binding of anti-CD105/PE to human



Flow cytometry of TNFRSF9 / 4-1BB / CD137 antibody

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/25/2014
© 2014 LifeSpan BioSciences