

CatalogID: Target: Synonyms: Host Clonality: Isotype: Conjugations: Immunogen Species: Antigen Type: Immunogen: Descificiture	LS-C144232 myeloproliferative leukemia virus oncogene (MPL) MPL Antibody, CD110 antigen Antibody, C-MPL Antibody, CD110 Antibody, MPLV Antibody, Proto-oncogene c-Mpl Antibody, TPOR Antibody, TPO-R Antibody, THCYT2 Antibody, Thrombopoietin receptor Antibody MPL antibody was produced in Mouse Monoclonal IgG2a Phycoerythrin (PE)
Synonyms: Host Clonality: Isotype: Conjugations: Immunogen Species: Antigen Type: Immunogen:	MPL Antibody, CD110 antigen Antibody, C-MPL Antibody, CD110 Antibody, MPLV Antibody, Proto-oncogene c-Mpl Antibody, TPOR Antibody, TPO-R Antibody, THCYT2 Antibody, Thrombopoietin receptor Antibody MPL antibody was produced in Mouse Monoclonal IgG2a
Host Clonality: Isotype: Conjugations: Immunogen Species: Antigen Type: Immunogen:	Antibody, Proto-oncogene c-Mpl Antibody, TPOR Antibody, TPO-R Antibody, THCYT2 Antibody, Thrombopoietin receptor Antibody MPL antibody was produced in Mouse Monoclonal IgG2a
Clonality: Isotype: Conjugations: Immunogen Species: Antigen Type: Immunogen:	Monoclonal IgG2a
Isotype: Conjugations: Immunogen Species: Antigen Type: Immunogen:	IgG2a
Conjugations: Immunogen Species: Antigen Type: Immunogen:	
Immunogen Species: Antigen Type: Immunogen:	Phycoerythrin (PE)
Antigen Type: Immunogen:	
Immunogen:	CD110 / MPL antibody was raised against Human
	Recombinant protein
On a alfialtan	CD110 / MPL antibody was raised against recombinant corresponding to human Thrombopoetin receptor expressed in NSO cells (P40238)
Specificity:	Mouse Thrombopoietin R.
Reactivity:	Human
Purification:	Protein G purified
Presentation:	Saline containing up to 0.5% BSA, 0.1% sodium azide
Recommended Storage:	May be stored at 4°C before opening. DO NOT FREEZE! Stable at 4°C as an undiluted liquid. Dilute only prior to immediate use. Stable for at least 12 months at 4°C. Sensitive to light.
Usage Summary:	This antibody is suitable for cell-surface staining. Permeabilization is not required.
Uses:	Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	100 tst
Requested From:	Japan
Laboi	ratory Reagent For In Vitro Research Use Only
Not for resale wit	thout prior written consent from LifeSpan BioSciences, Inc.
	Created on 9/25/2014