

CatalogID:	LS-C185427
Target:	prefoldin subunit 5 (PFDN5)
Synonyms:	PFDN5 Antibody, C-Myc-binding protein Mm-1 Antibody, C-myc binding protein Antibody, MM-1 Antibody, Myc modulator 1 Antibody, Myc modulator-1 Antibody, Prefoldin 5 Antibody, MM1 Antibody, PFD5 Antibody, Prefoldin subunit 5 Antibody
Host	PFDN5 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	PFDN5 / MM1 antibody was raised against Human
Antigen Type:	Recombinant protein
Immunogen:	PFDN5 / MM1 antibody was raised against recombinant fragment corresponding to a region within amino acids 1 and 154 of prefoldin 5 (SwissProt Q99471). Percent identity by BLAST analysis: Human, Mouse (100%); Rat (99%); Bovine (98%); Zebrafish (88%); Xenopus (85%).
Specificity:	Human PFDN5 / MM1
Epitope:	aa1-154
Reactivity:	Human, Mouse
Predicted Reactivity:	Rat, Bovine
Purification:	Immunoaffinity purified
Presentation:	0.1 M Tris-glycine, pH 7.0, 10% glycerol, 0.01% Thimerosal
Recommended Storage:	Keep as concentrated solution. Aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Uses:	Western blot (1:500 - 1:3000) (Optimal dilution to be determined by the researcher
Size:	100 µl
Concentration:	0.56 mg/ml

Western Blot Image:		
KDa 72 43 43 - 43 - 26 - 17 - 10 - Sample (30 ug of whole cell lysate). A: Hep G2 . 12% SDS PAGE. PFDN5 / MM1 antibody diluted at 1:1000.		
Requested From:	Japan	
Laboratory Reagent For In Vitro Research Use Only		
Not for resale without prior written consent from LifeSpan BioSciences, Inc.		
Created on 9/26/2014		
© 2014 LifeSpan BioSciences		