

BCL2 / Bcl-2 Mouse anti-Human Monoclonal (aa41-54) (FITC) (Bcl2/100) Antibody - LS-C204434 - LSBio	
<b>CatalogID:</b>	LS-C204434
<b>Target:</b>	B-cell CLL/lymphoma 2 (BCL2)
<b>Synonyms:</b>	BCL2 Antibody, Apoptosis regulator Bcl-2 Antibody, B-cell CLL/lymphoma 2 Antibody, B-cell lymphoma protein 2 Antibody, Bcl-2 Antibody, PPP1R50 Antibody
<b>Family / Subfamily:</b>	Apoptosis
<b>Host</b>	BCL2 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Clone Name:</b>	Bcl2/100
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	BCL2 / Bcl-2 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	BCL2 / Bcl-2 antibody was raised against synthetic peptide corresponding to the amino acids 41-54 of human Bcl2.
<b>Specificity:</b>	Monoclonal antibody Bcl2/100 recognizes Bcl2, a 26 kD protooncogene with anti-apoptotic effect, expressed in outer mitochondrial membrane, endoplasmic reticulum and nuclear envelope.
<b>Epitope:</b>	aa41-54
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	PBS, 0.2% BSA, 0.02% sodium azide.
<b>Recommended Storage:</b>	Store in the dark at 2-8 C. Do not freeze. Avoid prolonged exposure to light.
<b>Usage Summary:</b>	The reagent is designed for Flow Cytometry analysis of human blood cells using 4 ul reagent / 100 ul of whole blood or 1 million cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.
<b>Uses:</b>	Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 tst
<b>Requested From:</b>	Japan
<b>Laboratory Reagent For In Vitro Research Use Only</b>	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/27/2014	
© 2014 LifeSpan BioSciences	