

PVRL3 / Nectin-3 Rat anti-Mouse Monoclonal (aa50-400) (FITC) (103-A1) Antibody - LS-C210246 - LSBio	
<b>CatalogID:</b>	LS-C210246
<b>Target:</b>	poliovirus receptor-related 3 (PVRL3)
<b>Synonyms:</b>	PVRL3 Antibody, CDW113 Antibody, DKFZP566B0846 Antibody, Nectin 3 Antibody, PPR3 Antibody, Poliovirus receptor-related 3 Antibody, CD113 Antibody, CD113 antigen Antibody, NECTIN-3 Antibody, PVRR3 Antibody
<b>Host</b>	PVRL3 antibody was produced in Rat
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG2a
<b>Clone Name:</b>	103-A1
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	PVRL3 / Nectin-3 antibody was raised against Mouse
<b>Antigen Type:</b>	Recombinant protein
<b>Immunogen:</b>	PVRL3 / Nectin-3 antibody was raised against recombinant mouse nectin-3 extracellular domain (50-400 aa) fused to IgG Fc.
<b>Specificity:</b>	Mouse PVRL3 / Nectin-3
<b>Epitope:</b>	aa50-400
<b>Reactivity:</b>	Mouse
<b>Purification:</b>	Purified
<b>Presentation:</b>	PBS, 0.1% BSA, 0.02% sodium azide.
<b>Recommended Storage:</b>	Store at 4°C, stable for one year.
<b>Usage Summary:</b>	For immunohistochemistry and flow cytometry, dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50.
<b>Uses:</b>	IHC - Frozen, Immunofluorescence, Immunoprecipitation, Flow Cytometry, Functional Assay (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 µg
<b>Requested From:</b>	Japan
<b>Laboratory Reagent For In Vitro Research Use Only</b>	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/27/2014	
© 2014 LifeSpan BioSciences	