


CCL5 / RANTES Rabbit anti-Human Polyclonal (FITC) Antibody - LS-C211244 - LSBio

CatalogID:	LS-C211244
Target:	chemokine (C-C motif) ligand 5 (CCL5)
Synonyms:	CCL5 Antibody, Chemokine (C-C motif) ligand 5 Antibody, D17S136E Antibody, EoCP Antibody, T-cell specific protein p288 Antibody, SCYA5 Antibody, SISd Antibody, T cell-specific protein P228 Antibody, Beta-chemokine RANTES Antibody, C-C motif chemokine 5 Antibody, RANTES Antibody, SIS-delta Antibody, Small-inducible cytokine A5 Antibody, T-cell-specific protein RANTES Antibody, TCP228 Antibody
Family / Subfamily:	Interocrine / not assigned-Interocrine
Host	CCL5 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Conjugations:	Fluorescein (FITC)
Immunogen Species:	CCL5 / RANTES antibody was raised against Human
Antigen Type:	Recombinant protein
Immunogen:	CCL5 / RANTES antibody was raised against recombinant human C-C motif chemokine 5 protein.
Specificity:	Human CCL5 / RANTES
Reactivity:	Human
Purification:	Caprylic acid and ammonium sulfate precipitation
Presentation:	PBS, pH 7.4, 0.03% Proclin 300, 50% glycerol.
Recommended Storage:	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.
Uses:	IHC, Western blot, ELISA (Optimal dilution to be determined by the researcher)
Size:	100 µg

Western Blot Image:



Western blot of C-C motif chemokine 5 antibody at 2 ug/ml. Lane 1: EC109 whole cell lysate. Lane 2: 293T whole cell lysate . Secondary: Goat polyclonal to Rabbit IgG at 1:15000 dilution . Predicted band size: 10 kDa . Observed band size: 70 kDa.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/27/2014

© 2014 LifeSpan BioSciences