


MAPK14 / p38 Rabbit anti-Human Polyclonal (FITC) Antibody - LS-C211686 - LSBio	
CatalogID:	LS-C211686
Target:	mitogen-activated protein kinase 14 (MAPK14)
Synonyms:	MAPK14 Antibody, CSAID-binding protein Antibody, CSBP2 Antibody, CSPB1 Antibody, CSBP1 Antibody, CsBP1 Antibody, CsBP1 Antibody, CsBP Antibody, EXIP Antibody, MAP kinase 14 Antibody, MAP kinase p38 alpha Antibody, MAX-interacting protein 2 Antibody, MAPK 14 Antibody, p38 alpha Antibody, PRKM15 Antibody, PRKM14 Antibody, RK Antibody, SAPK2A Antibody, MAP kinase MXI2 Antibody, Mxi2 Antibody, p38ALPHA Antibody, p38 Antibody, p38 MAP kinase Antibody, p38alpha Exip Antibody
Family / Subfamily:	Protein Kinase / MAPK
Host	MAPK14 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Conjugations:	Fluorescein (FITC)
Immunogen Species:	MAPK14 / p38 antibody was raised against Human
Antigen Type:	Recombinant protein
Immunogen:	MAPK14 / p38 antibody was raised against recombinant human Activator of 90 kDa heat shock protein ATPase homolog 1 protein.
Specificity:	Human MAPK14 / p38
Reactivity:	Human
Purification:	Caprylic acid and ammonium sulfate precipitation
Presentation:	PBS, pH 7.4, 0.03% Proclin 300, 50% glycerol.
Recommended Storage:	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.
Uses:	IHC, Western blot, ELISA (Optimal dilution to be determined by the researcher)
Size:	100 µg

Western Blot Image:



Western blot of Activator of 90 kDa heat shock protein ATPase homolog 1 antibody at 2 ug/ml. Lane 1: EC109 whole cell lysate. Lane 2: 293T whole cell lysate. Secondary: Goat polyclonal to Rabbit IgG at 1:15000 dilution. Predicted band size: 37 kDa. Observed band size: 45 kDa.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/27/2014
© 2014 LifeSpan BioSciences