

**RAGE Rabbit anti-Human Polyclonal (Internal) (FITC) Antibody - LS-C220098 - LSBio**

<b>CatalogID:</b>	LS-C220098
<b>Target:</b>	MOK protein kinase
<b>Synonyms:</b>	MOK Antibody, MOK kinase Antibody, MOK protein kinase Antibody, RAGE Antibody, RAGE1 Antibody, RAGE-1 Antibody, Renal tumor antigen 1 Antibody, Renal tumor antigen Antibody
<b>Family / Subfamily:</b>	Protein Kinase / MAK
<b>Host</b>	MOK antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Isotype:</b>	IgG
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	RAGE antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	RAGE antibody was raised against kLH-conjugated synthetic peptide from internal region of human RAGE.
<b>Specificity:</b>	Human RAGE
<b>Epitope:</b>	Internal
<b>Reactivity:</b>	Human
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, pH 7.2
<b>Recommended Storage:</b>	May be stored at 4°C for short-term only. Aliquot to avoid repeated freezing and thawing. Store at -20°C. Aliquots are stable for at least 6 months.
<b>Usage Summary:</b>	The applications listed above are for the unconjugated form of this antibody. The conjugated antibody has not been tested.
<b>Uses:</b>	Western blot, ELISA (Optimal dilution to be determined by the researcher)
<b>Size:</b>	200 µl
<b>Concentration:</b>	0.47 mg/ml
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/28/2014

© 2014 LifeSpan BioSciences