

FBN1 / Fibrillin 1 Mouse anti-Bovine Monoclonal (FITC) Antibody - LS-C23546 - LSBio	
<b>CatalogID:</b>	LS-C23546
<b>Target:</b>	fibrillin 1 (FBN1)
<b>Synonyms:</b>	FBN1 Antibody, ACMICD Antibody, Fibrillin 1 Antibody, Fibrillin-1 Antibody, FBN Antibody, ECTOL1 Antibody, GPHYSD2 Antibody, MASS Antibody, MFS1 Antibody, OCTD Antibody, SSKS Antibody, WMS2 Antibody, Fibrillin 1 (Marfan syndrome) Antibody, Fibrillin 15 Antibody, SGS Antibody, WMS Antibody
<b>Host</b>	FBN1 antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1,k
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	FBN1 / Fibrillin 1 antibody was raised against Bovine
<b>Immunogen:</b>	FBN1 / Fibrillin 1 antibody was raised against microfibrils from zonular apparatus of bovine eye.
<b>Specificity:</b>	Recognizes bovine fibrillin (Mr 350kD). Species cross-reactivity: Human.
<b>Reactivity:</b>	Bovine
<b>Purification:</b>	Purified
<b>Presentation:</b>	PBS, sodium azide.
<b>Recommended Storage:</b>	Long term: Add glycerol (40-50%) -20°C; Short term: +4°C
<b>Usage Summary:</b>	Immunohistochemistry. Immunofluorescence. Western Blot. Electron microscopic immunolocalization. Immunohistochemistry: 1:50-1:100 (30-60 min at RT). Western Blot: 1 ug/ml.
<b>Uses:</b>	IHC (1:50 - 1:100), Immunofluorescence, Western blot (1 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	200 µg
<b>Requested From:</b>	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/28/2014	
© 2014 LifeSpan BioSciences	