


CBLL1 / HAKAI Rabbit anti-Human Polyclonal (aa441-491) Antibody - LS-C289674 - LSBio	
<b>CatalogID:</b>	LS-C289674
<b>Target:</b>	Cbl proto-oncogene-like 1, E3 ubiquitin protein ligase (CBLL1)
<b>Synonyms:</b>	CBLL1 Antibody, C-Cbl-like protein 1 Antibody, E-cadherin binding protein E7 Antibody, HAKAI Antibody, RING finger protein 188 Antibody, RNF188 Antibody
<b>Host</b>	CBLL1 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Isotype:</b>	IgG
<b>Immunogen Species:</b>	CBLL1 / HAKAI antibody was raised against Human
<b>Specificity:</b>	Region between residue 441 and 491 of human E3 ubiquitin-protein ligase Hakai using the numbering given in entry NP_079090.2 (GeneID 79872).
<b>Epitope:</b>	aa441-491
<b>Reactivity:</b>	Human, Mouse, Rat, Bovine, Dog, Horse
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	Tris-citrate/phosphate buffer, pH 7-8, 0.09% sodium azide.
<b>Recommended Storage:</b>	Store at 2-8°C for up to 1 year.
<b>Uses:</b>	Western blot (1:2000 - 1:10000), Immunoprecipitation (2 - 5 µg/mg lysate) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	100 µl
<b>Manufacturer:</b>	Bethyl Laboratories, Inc.

**Western Blot Image:**



Detection of Human and Mouse Hakai by Western Blot (h&m) and Immunoprecipitation (h). Samples: Whole cell lysate from HeLa (5, 15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded), 293T (T; 50 ug) and mouse NIH3T3 (M; 50 ug) cells. Antibodies: Affinity purified rabbit anti-Hakai antibody used for WB at 0.1 ug/ml (A) and 1 ug/ml (B) and used for IP at 3 ug/mg lysate. Hakai was also immunoprecipitated by rabbit anti-Hakai antibody A302-968A, which recognizes an upstream epitope. Detection: Chemiluminescence with exposure times of 30 seconds (A) and 10 seconds (B).

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/30/2014

© 2014 LifeSpan BioSciences