


ROX / MNT Rabbit anti-Human Polyclonal (aa1-50) Antibody - LS-C290286 - LSBio	
CatalogID:	LS-C290286
Target:	MAX network transcriptional repressor (MNT)
Synonyms:	MNT Antibody, BHLHd3 Antibody, Max-binding protein MNT Antibody, MAX binding protein Antibody, Max-interacting protein Antibody, MNT, MAX dimerization protein Antibody, Protein ROX Antibody, Myc antagonist MNT Antibody, MAD6 Antibody, MXD6 Antibody, ROX Antibody
Host	MNT antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	ROX / MNT antibody was raised against Human
Specificity:	Region between residue 1 and 50 of human MAX Binding Protein using the numbering given in entry NP_064706.1 (GeneID 4335).
Epitope:	aa1-50
Reactivity:	Human, Mouse, Rat, Bovine, Dog, Guinea pig, Pig, Rabbit
Purification:	Immunoaffinity purified
Presentation:	Tris-citrate/phosphate buffer, pH 7-8, 0.09% sodium azide.
Recommended Storage:	Store at 2-8°C for up to 1 year.
Uses:	Western blot (1:2000 - 1:10000), Immunoprecipitation (2 - 10 μg/mg lysate) (Optimal dilution to be determined by the researcher)
Size:	100 μΙ
Manufacturer:	Bethyl Laboratories, Inc.





Detection of Human MNT by Western Blot and Immunoprecipitation. Samples: Whole cell lysate from HeLa (15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded), 293T (T; 50 ug) and Jurkat (J; 50 ug) cells. Antibodies: Affinity purified rabbit anti-MNT antibody used for WB at 0.1 ug/ml (A) and 1 ug/ml (B) and used for IP at 6 ug/mg lysate. MNT was also immunoprecipitated by rabbit anti-MNT antibody A303-627A, which recognizes a downstream epitope. Detection: Chemiluminescence with exposure times of 3 minutes (A) and 10 seconds (B).

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 10/1/2014
© 2014 LifeSpan BioSciences