

Basigin / Emmprin / CD147 Mouse anti-Human Monoclonal (N-Terminus) (FITC) (MEM-M6/1) Antibody - LS-C46375 - LSBio	
<b>CatalogID:</b>	LS-C46375
<b>Target:</b>	basigin (Ok blood group) (BSG)
<b>Synonyms:</b>	BSG Antibody, 5F7 Antibody, Basigin Antibody, Basigin (Ok blood group) Antibody, CD147 antigen Antibody, Collagenase stimulatory factor Antibody, EMMPRIN Antibody, OK Antibody, OK blood group antigen Antibody, TCSF Antibody, CD147 Antibody, M6 Antibody
<b>Host</b>	BSG antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG1
<b>Clone Name:</b>	MEM-M6/1
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	Basigin / Emmprin / CD147 antibody was raised against Human
<b>Antigen Type:</b>	Recombinant protein
<b>Immunogen:</b>	Basigin / Emmprin / CD147 antibody was raised against protein A-CR purified soluble recombinant form of CD147, CD147Rg, which consists of the cDNA coding for the hinge region, CH2-and CH3 domain of human IgG1 (CD147Rg is secreted by transfectants as a dimer).
<b>Specificity:</b>	Recognizes an epitope in the N-terminal Ig domain (D1) of CD147 (Neurothelin), a 50-60 kD type I transmembrane glycoprotein primarily expressed on all leukocytes, red blood cells, platelets and endothelial cells; it is not expressed by resting lymphocytes. The antibody MEM-M6/1 is a high-affinity antibody capable of binding to unstimulated peripheral blood T cells.
<b>Epitope:</b>	N-Terminus
<b>Reactivity:</b>	Human
<b>Purification:</b>	Protein A purified
<b>Presentation:</b>	PBS, 15 mM sodium azide, 0.2% high-grade protease free BSA as a stabilizing agent.
<b>Uses:</b>	Undetermined
<b>Size:</b>	100 tst
<b>Requested From:</b>	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 10/1/2014	
© 2014 LifeSpan BioSciences	