

Rabbit IgG Donkey anti-Rabbit Polyclonal (Fab'2) (RPE) Antibody - LS-C61493 - LSBio

CatalogID:	LS-C61493
Target:	Rabbit IgG
Host	Rabbit IgG antibody was produced in Donkey
Clonality:	Polyclonal
Isotype:	IgG
Conjugations:	R. Phycoerythrin (RPE)
Modifications:	Fab'2
Immunogen Species:	Rabbit IgG antibody was raised against Rabbit
Antigen Type:	Purified protein
Immunogen:	Rabbit IgG antibody was raised against rabbit IgG whole molecule.
Specificity:	anti-Phycoerythrin, anti-Donkey Serum, Rabbit IgG and Rabbit Serum. No reaction was observed against anti-Pepsin, anti- Donkey IgG F(c) or to Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rat & Sheep Serum Proteins
Reactivity:	Rabbit
Purification:	Immunoaffinity purified
Reconstitution:	deionized water. Possible additional volumes for resuspension: 1000 µl
Presentation:	0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2, 10 mg/ml BSA (IgG, protease free), 0.01% sodium azide.
Recommended Storage:	+4°C or -20°C, Avoid repeated freezing and thawing.
Usage Summary:	Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. The maximum amount of reagent required to stain 1 x 10 ⁶ cells in flow cytometry is approximately 1.0 ug of antibody conjugate. Lesser amounts of reagent may be sufficient for staining.
Uses:	Immunofluorescence, Flow Cytometry (Optimal dilution to be determined by the researcher)
Size:	500 µg
Concentration:	0.5 mg/ml (after resuspension)
Requested From:	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 10/2/2014

© 2014 LifeSpan BioSciences