

BCL3 / BCL-3 Hamster anti-Mouse Monoclonal (FITC) (Ham150-3.5) Antibody - LS-C62564 - LSBio	
<b>CatalogID:</b>	LS-C62564
<b>Target:</b>	B-cell CLL/lymphoma 3 (BCL3)
<b>Synonyms:</b>	BCL3 Antibody, B-cell CLL/lymphoma 3 Antibody, B-cell leukemia/lymphoma 3 Antibody, B-cell lymphoma 3 protein Antibody, BCL-3 Antibody, BCL4 Antibody, D19S37 Antibody, Proto-oncogene BCL3 Antibody
<b>Family / Subfamily:</b>	Cancer
<b>Host</b>	BCL3 antibody was produced in Hamster
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG
<b>Clone Name:</b>	Ham150-3.5
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	BCL3 / BCL-3 antibody was raised against Mouse
<b>Immunogen:</b>	BCL3 / BCL-3 antibody was raised against recombinant Bcl-3-6-histidine tag.
<b>Specificity:</b>	Anti-mouse Bcl-3 monoclonal antibody reacts with both mouse and human Bcl-3 (B-cell Leukemia/lymphoma 3). The proto-oncoprotein Bcl-3 is a member of the I kappaB family and is present predominantly in the nucleus. This protein has been shown to function as.
<b>Reactivity:</b>	Mouse
<b>Purification:</b>	Protein G purified
<b>Presentation:</b>	PBS, 0.02% sodium azide, EIA grade BSA.
<b>Recommended Storage:</b>	Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.
<b>Uses:</b>	Western blot, Flow Cytometry, ELISA (Optimal dilution to be determined by the researcher)
<b>Uses Not Recommended:</b>	IHC - Paraffin
<b>Size:</b>	100 µg or 300 µg
<b>Concentration:</b>	0.1 mg/ml
<b>Requested From:</b>	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 10/2/2014	
© 2014 LifeSpan BioSciences	