

Antibodý Antibodý Family / Subfamily: Protein Phosphatase / R1/R6 Host PTPRC antibody was produced in Mouse Clonality: Monoclonal Isotype: IgG2a Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determir by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan	CatalogID:	LS-C62700
Antibody, Leukocyte common antigen Antibody, LCA Antibody, LCA Antibody, LCA Antibody, T200 Generation Family / Subfamily: Protein Phosphatase / R1/R6 Host PTPRC antibody was produced in Mouse Clonality: Monoclonal Isotype: IgG2a Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against Rat Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000-22. Reactivity: Rat Purification: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determined by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan	Target:	protein tyrosine phosphatase, receptor type, C (PTPRC)
Host PTPRC antibody was produced in Mouse Clonality: Monoclonal Isotype: IgG2a Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determin by the researcher) Size:	Synonyms:	Antibody, Leukocyte common antigen Antibody, L-CA Antibody, Leucocyte common antigen Antibody, LY5 Antibody, T200 Antibody, T200 glycoprotein Antibody, T200 leukocyte common antigen Antibody, CD45 antigen Antibody, LCA
Clonality: Monoclonal Isotype: IgG2a Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Family / Subfamily:	Protein Phosphatase / R1/R6
Isotype: IgG2a Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Host	PTPRC antibody was produced in Mouse
Clone Name: MRC OX-30 Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: HC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determined by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Clonality:	Monoclonal
Conjugations: Fluorescein (FITC) Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Isotype:	IgG2a
Immunogen Species: CD45 antibody was raised against Rat Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Clone Name:	MRC OX-30
Immunogen: CD45 antibody was raised against lymph node glycoproteins and cells. Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Conjugations:	Fluorescein (FITC)
Specificity: Anti-rat CD45 monoclonal antibody recognizes a monomorphic determinant of the rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22. Reactivity: Rat Purification: Protein G purified Presentation: PBS, 0.02% sodium azide, EIA grade BSA. Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan	Immunogen Species:	CD45 antibody was raised against Rat
rat leukocyte common antigen. The antigen recognized is a heavily glycosylated membrane glycoprotein of molecular weight 170000 Da on thymocytes but molecular weight 170000-22.Reactivity:RatPurification:Protein G purifiedPresentation:PBS, 0.02% sodium azide, EIA grade BSA.Recommended Storage:Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light.Uses:IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher)Size:100 µg or 500 µgConcentration:0.1 mg/mlRequested From:JapanLaboratory Reagent For In Vitro Research Use Only	Immunogen:	CD45 antibody was raised against lymph node glycoproteins and cells.
Purification:Protein G purifiedPresentation:PBS, 0.02% sodium azide, EIA grade BSA.Recommended Storage:Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light.Uses:IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher)Size:100 µg or 500 µgConcentration:0.1 mg/mlRequested From:JapanLaboratory Reagent For In Vitro Research Use Only	Specificity:	membrane glycoprotein of molecular weight 170000 Da on thymocytes but
Presentation:PBS, 0.02% sodium azide, EIA grade BSA.Recommended Storage:Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Sensitive to light.Uses:IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determine by the researcher)Size:100 µg or 500 µgConcentration:0.1 mg/mlRequested From:JapanLaboratory Reagent For In Vitro Research Use Only	Reactivity:	Rat
Recommended Storage: Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determined by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Purification:	Protein G purified
Sensitive to light. Uses: IHC - Frozen, Flow Cytometry (0.1 µg/10E6 cells) (Optimal dilution to be determined by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Presentation:	PBS, 0.02% sodium azide, EIA grade BSA.
by the researcher) Size: 100 µg or 500 µg Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Recommended Storage:	
Concentration: 0.1 mg/ml Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Uses:	IHC - Frozen, Flow Cytometry (0.1 $\mu g/10E6$ cells) (Optimal dilution to be determined by the researcher)
Requested From: Japan Laboratory Reagent For In Vitro Research Use Only	Size:	100 µg or 500 µg
Laboratory Reagent For In Vitro Research Use Only	Concentration:	0.1 mg/ml
	Requested From:	Japan
Not for receipt without prior written concent from LifeSpan DiaSciences, Inc.	La	boratory Reagent For In Vitro Research Use Only
Created on 10/2/2014	Not for resale	without prior written consent from LifeSpan BioSciences, Inc.