

GYPA / CD235a / Glycophorin A Rabbit anti-Human Polyclonal (N-Terminus) (FITC) Antibody - LS-C62887 - LSBio	
CatalogID:	LS-C62887
Target:	glycophorin A (MNS blood group) (GYPA)
Synonyms:	GYPA Antibody, CD235a Antibody, CD235a antigen Antibody, Glycophorin A (MN blood group) Antibody, Glycophorin A, GPA Antibody, Glycophorin-A Antibody, GPA Antibody, GPERik Antibody, GPSAT Antibody, Glycophorin MiV Antibody, Glycophorin SAT Antibody, HGpMiX Antibody, HGpMiXI Antibody, HGpMiV Antibody, HGpSta(C) Antibody, Glycophorin Mil Antibody, GpMiIII Antibody, MN Antibody, HGpMiIII Antibody, MN sialoglycoprotein Antibody, Sialoglycoprotein alpha Antibody, Mi.V glycoprotein (24 AA) Antibody, PAS-2 Antibody, Glycophorin A Antibody, Glycophorin Sta type C Antibody, MNS Antibody
Host	GYPA antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Conjugations:	Fluorescein (FITC)
Immunogen Species:	GYPA / CD235a / Glycophorin A antibody was raised against Human
Immunogen:	GYPA / CD235a / Glycophorin A antibody was raised against human Glycophorin A transmembrane protein.
Specificity:	Anti-human Glycophorin A (GpA) Polyclonal Antibody targets the human Glycophorin A protein. This 131 amino acid, 36 KDa, transmembrane sialoglycoprotein spans the membrane of erythrocytes once. GpA presents its N terminus at the extracellular surface of t.
Epitope:	N-Terminus
Reactivity:	Human
Purification:	Protein G purified
Presentation:	PBS, 0.02% sodium azide, EIA grade BSA.
Recommended Storage:	Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.
Uses:	Flow Cytometry (0.2 µg/10E6 cells) (Optimal dilution to be determined by the researcher)
Size:	100 µg
Concentration:	0.1 mg/ml
Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only Not for resale without prior written consent from LifeSpan BioSciences, Inc. Created on 10/2/2014 © 2014 LifeSpan BioSciences	