

**Adenovirus Goat anti-Adenovirus Polyclonal (FITC) Antibody - LS-C63698 - LSBio**

<b>CatalogID:</b>	LS-C63698
<b>Target:</b>	Adenovirus
<b>Host</b>	Adenovirus antibody was produced in Goat
<b>Clonality:</b>	Polyclonal
<b>Isotype:</b>	IgG
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	Adenovirus antibody was raised against Adenovirus
<b>Antigen Type:</b>	Virus
<b>Immunogen:</b>	Adenovirus antibody was raised against purified, disrupted Adenovirus Type 5 virions.
<b>Specificity:</b>	Recognizes Adenovirus. Does not cross-react with Para 1-3, Infl. A alpha B, hMPV or Rhinovirus (type 16). Uninfected Cell Reactivity: Negative vs. HE-p2, LLCMK2 and Vero cells by indirect immunofluorescence. Reactive with types 2, 3, 4, 5 alpha 6. Broad reactivity with most/all Adeno types expected.
<b>Reactivity:</b>	Adenovirus
<b>Purification:</b>	Purified
<b>Presentation:</b>	PBS, pH 7.2, 0.1% sodium azide, 10% BSA, 40% glycerol.
<b>Usage Summary:</b>	Suitable for use in Immunofluorescence and ELISA. Immunofluorescence: 1:5-1:25. Direct FA staining of target antigens in a permissive tissue culture system. Acetone fixation of the antigen source is recommended prior to staining. ELISA: 1:2500.
<b>Uses:</b>	Immunofluorescence (1:5 - 1:25), ELISA (1:2500) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	1,000 µl
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 10/2/2014

© 2014 LifeSpan BioSciences