

**MCAM / CD146 Mouse anti-Chicken Monoclonal (FITC) Antibody - LS-C8931 - LSBio**

<b>CatalogID:</b>	LS-C8931
<b>Target:</b>	melanoma cell adhesion molecule (MCAM)
<b>Synonyms:</b>	MCAM Antibody, CD146 Antibody, CD146 antigen Antibody, Gicerin Antibody, Melanoma adhesion molecule Antibody, MUC18 Antibody, p1h12 Antibody
<b>Family / Subfamily:</b>	Immunoglobulin / not assigned-Immunoglobulin
<b>Host</b>	MCAM antibody was produced in Mouse
<b>Clonality:</b>	Monoclonal
<b>Isotype:</b>	IgG2b,k
<b>Conjugations:</b>	Fluorescein (FITC)
<b>Immunogen Species:</b>	MCAM / CD146 antibody was raised against Chicken
<b>Immunogen:</b>	MCAM / CD146 antibody was raised against pooled Ed15 and Ed16 thymocytes from H. B15, H. B19 and H. B21 chicken embryos.
<b>Specificity:</b>	Recognizes chicken MCAM, Mr 98kD (protein core ~84kD).
<b>Reactivity:</b>	Chicken
<b>Purification:</b>	Purified
<b>Presentation:</b>	PBS, sodium azide.
<b>Recommended Storage:</b>	Long term: Add glycerol (40-50%) -20°C; Short term: +4°C
<b>Usage Summary:</b>	Flow cytometry. Immunoprecipitation. Immunohistochemistry (acetone-fixed, frozen tissue sections). Flow Cytometry: 1 ug/1E6 cells.
<b>Uses:</b>	IHC - Frozen, Immunoprecipitation, Flow Cytometry (Optimal dilution to be determined by the researcher)
<b>Size:</b>	500 µg
<b>Requested From:</b>	Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 10/2/2014

© 2014 LifeSpan BioSciences