Product Datasheet

p53 Antibody NBP2-33074-0.2mg

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



support@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33074

Updated 11/13/2014 v.20.1

NBP2-33074-0.2mg

p53 Antibody (BP53-12) [Azide Free]

p53 Antibody (BP53-12) [Azi	de Freej
Product Information	
Unit Size	0.2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	BP53-12
Preservative	No Preservative
Isotype	IgG2a Kappa
Conjugate	Azide Free
Purity	Protein G purified
Buffer	10mM PBS. Does not contain BSA.
Product Description	
Host	Mouse
Gene ID	7157
Gene Symbol	TP53
Species	Human, Mouse (Negative), Rat (Negative)
Specificity/Sensitivity	Recognizes a 53kDa protein, which is identified as p53 suppressor gene product. It reacts with the mutant as well as the wild form of p53 under denaturing and non-denaturing conditions. Its epitope maps within the N-terminus (aa 20-25) of p53 oncoprotein. p53 is a tumor suppressor gene expressed in a wide variety of tissue types and is involved in regulating cell growth, replication, and apoptosis. It binds to MDM2, SV40 T antigen and human papilloma virus E6 protein. Positive nuclear staining with p53 antibody has been reported to be a negative prognostic factor in breast carcinoma, lung carcinoma, colorectal, and urothelial carcinoma. Anti-p53 positivity has also been used to differentiate uterine serous carcinoma from endometrioid carcinoma as well as to detect intratubular germ cell neoplasia. Mutations involving p53 are found in a wide variety of malignant tumors, including breast, ovarian, bladder, colon, lung, and melanoma.
Immunogen	Full-length recombinant human p53 was used as immunogen for this antibody.
Product Application Detail	S ,
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 0.5-1ug/million cells, Immunocytochemistry/Immunofluorescence 0.5-1ug/ml, Western Blot 0.5-1.0ug/ml, Immunoprecipitation 0.5-1ug/500ug protein lysate, Immunohistochemistry-Frozen 0.5-1.0ug/ml, Immunohistochemistry-Paraffin 0.5-1.0ug/ml, ELISA 1-5ug/ml for coating
Application Notes	Use in Immunoprecipitation has been reported in literature.





Novus Biologicals USA

8100 Southpark Way, A-8 Littleton, CO 80120 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Novus Biologicals Europe

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info@bio-techne.com

Novus Biologicals Canada

461 North Service Road West, Unit B37 Oakville, ON L6M 2V5

Canada

Phone: 905.827.6400 Toll Free: 855,668,8722 Fax: 905.827.6402 canada@novusbio.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our guarantee, please visit www.novusbio.com/guarantee.

