# **Product Datasheet**

# Bcl-10 Antibody NBP2-34415-0.2 mg

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



support@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34415

Updated 6/26/2014 v.20.1

## NBP2-34415-0.2 mg

Bcl-10 Antibody (SPM520) [Azide Free]

Doi- 10 Antibody (Si 191320) [Az	140 1 100]
Product Information	
Unit Size	0.2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SPM520
Preservative	No Preservative
Isotype	IgG1 Kappa
Conjugate	Azide Free
Purity	Protein A purified
Buffer	10 mM PBS. Does not contain BSA
Target Molecular Weight	33 kDa
<b>Product Description</b>	
Host	Mouse
Gene ID	8915
Gene Symbol	BCL10
Species	Human
Specificity/Sensitivity	This MAb labels subpopulations of normal B and T cells and is a useful tool for the sub-classification of lymphomas.
Immunogen	Human BCL10 recombinant protein (epitope aa122-168)
<b>Product Application Details</b>	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 0.5-1ug/million cells, Immunocytochemistry/Immunofluorescence 1-2ug/ml, Western Blot 0.5-1ug/ml, Immunoprecipitation 1-2ug/500ug, Immunohistochemistry-Frozen 0.5-1.0ug/ml, Immunohistochemistry-Paraffin 0.5-1ug/ml, ELISA 1-5ug/ml for coating
Application Notes	Immunohistochemistry (Staining of paraffin tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes)





#### **Novus Biologicals USA**

8100 Southpark Way, A-8 Littleton, CO 80120 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

### **Novus Biologicals Europe**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info@bio-techne.com

### **Novus Biologicals Canada**

461 North Service Road West, Unit B37 Oakville, ON L6M 2V5

Canada

Phone: 905.827.6400 Toll Free: 855,668,8722 Fax: 905.827.6402 canada@novusbio.com

#### **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our guarantee, please visit www.novusbio.com/guarantee.

