

Corporate Headquarters 400 Valley Road Warrington, PA 18976 1-800-523-2575 FAX 1-800-343-3291 Email: info@ polysciences.com www.polysciences.com Europe - Germany Polysciences Europe GmbH Handelsstr. 3 D-69214 Eppelheim, Germany (49) 6221-765767 FAX (49) 6221-764620 Email: info@ polysciences.de

TECHNICAL DATA SHEET 574

Page 1 of 1

BioMag Multi-32 Microcentrifuge Tube Separator

Description

The BioMag Multi-32 holds thirty-two microcentrifuge tubes for molecular biology and other applications. Sixteen tubes may be magnetically separated at one time.

Use

Magnetic separations can be performed on up to sixteen microcentrifuge tubes by simply placing the tubes in the inner row of the separator. Sixteen tubes may also be held in the outer rows of the separator for mixing and short incubations. Holds 1.0ml and 1.5ml microcentrifuge tubes. The BioMag solution will move toward the side of the separator in less than 5 minutes to complete the separation. Pellets will form on the side of the test tube. Once separation is complete aspirate the supernatant with the BioMag Separator in place. Be careful not to disturb the separated BioMag.

Care

The BioMag Multi-32 unit should be wiped clean with mild detergent.

DO NOT IMMERSE. Harsh chemicals and organic solvents may cause damage to the surface of the unit.

Warning

Strong Magnetic Field. This separation unit should be used and stored at a safe distance from magnetic media such as computers, videotapes and credit cards etc.

Ordering Information:

Cat. # Description Size
84106S BioMag Multi-32 Microcentrifuge 1 ea
Tube Separator

To Order:

In The U.S. Call: 1-800-523-2575 • 215-343-6484 In The U.S. FAX: 1-800-343-3291 • 215-343-0214

In Germany Call: (49) 6221-765767 In Germany FAX: (49) 6221-764620

Order online anytime at www.polysciences.com



Should any of our materials fail to perform to our specifications, we will be pleased to provide replacements or return the purchase price. We solicit your inquiries concerning all needs for life sciences work. The information given in this bulletin is to the best of our knowledge accurate, but no warranty is expressed or implied. It is the user's responsibility to determine the suitability for his own use of the products described herein, and since conditions of use are beyond our control, we disclaim all liability with respect to the use of any material supplied by us. Nothing contained herein shall be construed as a recommendation to use any product or to practice any process in violation of any law or any government regulation.