


Product Name: Streptozocin
CAS Number: 18883-66-4
IUPAC Name: 2-Deoxy-2-[[[(methylnitrosoamino)carbonyl]amino]-D-glucose

Catalog No.: 1621 **Batch No.:** 4
EC Number: 242-646-8

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₈H₁₅N₃O₇
Batch Molecular Weight: 265.22
Physical Appearance: Off-white solid
Solubility: water to 100 mM
DMSO to 100 mM
Storage: Store at -20°C
Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: Shows 99% purity
¹H NMR: Consistent with structure
Mass Spectrum: Consistent with structure
Optical Rotation: [α]_D = +50.5 (Concentration = 1, Solvent = Water)
Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	36.23	5.7	15.84
Found	36.26	5.63	15.89

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Streptozocin

CAS Number: 18883-66-4

IUPAC Name: 2-Deoxy-2-[[[(methylnitrosoamino)carbonyl]amino]-D-glucose

Catalog No.: 1621

Batch No.: 4

EC Number: 242-646-8

Description:

Antibiotic and antitumor agent. Alkylates DNA and induces diabetes mellitus via reduction of nicotinamide adenine dinucleotide in pancreatic β -cells in vivo.

Physical and Chemical Properties:


Batch Molecular Formula: $C_8H_{15}N_3O_7$

Batch Molecular Weight: 265.22

Physical Appearance: Off-white solid

Minimum Purity: >95%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

water to 100 mM

DMSO to 100 mM

ANTINEOPLASTIC SUBSTANCE - TREAT AS EXTREMELY POISONOUS

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Bennett and Pegg (1981) Alkylation of DNA in rat tissues following administration of streptozotocin. *Cancer Res.* **41** 2786. PMID: 6454479.

Weis (1982) Steptozotocin: A review of its pharmacology, efficacy and toxicity. *Cancer Treat. Rep.* **66** 427. PMID: 6277485.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Tocris Bioscience is an R&D Systems company

USA & CANADA Tel: (800) 343-7475 EUROPE Tel: +44 (0)1235 529449 CHINA Tel: +86 (21) 52380373

www.RnDSystems.com