

# **Certificate of Analysis**

www.tocris.com

Product Name: EMD 66684 Catalog No.: 1849 Batch No.: 2

CAS Number: 1216884-39-7

IUPAC Name: 2-Butyl-3,4-dihydro-*N*,*N*-dimethyl-4-oxo-3-[[2'-(1*H*-tetrazol-5-yl)[1,1'-biphenyl-4-yl]methyl]-5*H*-imidazo[4,5-c]

Desiccate at +4°C

pyridine-5-acetamide hydrochloride

### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:  $C_{28}H_{30}N_8O_2.HCl.H_2O$ 

Batch Molecular Weight: 565.07

Physical Appearance: Pale yellow solid

Solubility: DMSO to 50 mM ethanol to 50 mM

**Batch Molecular Structure:** 

Storage:

# 2. ANALYTICAL DATA

**TLC:**  $R_f = 0.13$  (Chloroform:Methanol [9:1])

HPLC: Shows 99.7% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen Chlorine

Theoretical 59.52 5.89 19.83 6.27 Found 59.27 5.67 20.11 6.28

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use





# **Product Information**

Print Date: Feb 16th 2014

www.tocris.com

Product Name: EMD 66684 Catalog No.: 1849 Batch No.: 2

CAS Number: 1216884-39-7

IUPAC Name: 2-Butyl-3,4-dihydro-*N*,*N*-dimethyl-4-oxo-3-[[2'-(1*H*-tetrazol-5-yl)[1,1'-biphenyl-4-yl]methyl]-5*H*-imidazo[4,5-*c*]

pyridine-5-acetamide hydrochloride

#### **Description:**

Highly potent and very selective non-peptide angiotensin  $AT_1$  receptor antagonist ( $IC_{50}$  values are 0.7 and > 10000 nM for  $AT_1$  and  $AT_2$  receptors respectively). Potently inhibits angiotensin II-induced contractions in isolated rabbit aorta ( $IC_{50} = 0.2$  nM) and reduces blood pressure in hypertensive rats.

### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>28</sub>H<sub>30</sub>N<sub>8</sub>O<sub>2</sub>.HCl.H<sub>2</sub>O

Batch Molecular Weight: 565.07 Physical Appearance: Pale yellow solid

**Minimum Purity:** >98%

#### **Batch Molecular Structure:**

Storage: Desiccate at +4°C

### Solubility & Usage Info:

DMSO to 50 mM ethanol to 50 mM

# Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Mederski** *et al* (1994) Non-peptide angiotensin II receptor antagonists: synthesis and biological activity of a series of novel 4,5-dihydro-4-oxo-3*H*-imidazo[4,5-c]pyridine derivatives. J.Med.Chem. **37** 1632. PMID: 8201597.

**Mederski** et al (1995) 4,5-Dihydro-4-oxo-3H-imidazo[4,5-c]pyridines: potent arylacetic acid-derived AT<sub>1</sub> antagonists with improved affinity for the AT<sub>2</sub> receptor. Bioorg.Med.Chem.Lett. **5** 2665.

