



# **Certificate of Analysis**

www.tocris.com

Product Name: N-Acetyl-O-phosphono-Tyr-Glu Dipentylamide Catalog No.: 1930 Batch No.: 1

CAS Number: 190078-50-3

IUPAC Name: N-Acetyl-O-phosphono-L-tyrosyl-N,N-dipentyl-L-α-glutamine

## 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:  $C_{26}H_{42}N_3O_9P$ 

Batch Molecular Weight: 571.61

Physical Appearance: White lyophilised solid

Net Peptide Content: 94%

Storage: Desiccate at -20°C

**Peptide Sequence:** 

2. ANALYTICAL DATA

**HPLC:** Shows >95% purity

3. AMINO ACID ANALYSIS DATA

Allillo Acid	Tilcorctical	Actual	Allillo Acid	Tilcorctical	Actua
Ala			Lys		
Arg			Met		
Asx			Phe		
Cys			Pro		
Glx	1.00	0.97	Ser		
Gly			Thr	1.00	1.03
His			Trp		
lle			Tyr		
Leu			Val		

Amino Acid Theoretical Actual Amino Acid Theoretical Actual



# **Product Information**

Print Date: Oct 9<sup>th</sup> 2014 **WWW.tocris.com** 

Product Name: N-Acetyl-O-phosphono-Tyr-Glu Dipentylamide Catalog No.: 1930 Batch No.: 1

CAS Number: 190078-50-3

IUPAC Name: N-Acetyl-O-phosphono-L-tyrosyl-N,N-dipentyl-L-α-glutamine

Description:

Phosphopeptide; binds to the src SH2 domain.

**Physical and Chemical Properties:** 

Batch Molecular Formula: C<sub>26</sub>H<sub>42</sub>N<sub>3</sub>O<sub>9</sub>P Batch Molecular Weight: 571.61

Physical Appearance: White lyophilised solid

**Peptide Sequence:** 

Storage: Desiccate at -20°C

### Solubility & Usage Info:

Most peptides are soluble in distilled water. If the peptide does not completely dissolve addition of 0.1M acetic acid (those containing Arg, Lys, His) or 0.1M ammonia (those containing Asp, Glu) may help. Occasionally 10% DMSO or DMF may be required for extremely insoluble peptides. In addition to these measures sonification may also be helpful.

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

**Net Peptide Content:** 94% (Remaining weight made up of counterions and residual water).

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2  $\mu$ m filter to remove potential bacterial contamination whenever possible.

#### References:

**Charifson** *et al* (1997) Peptide ligands of pp60(c-src) SH2 domains: a thermodynamic and structural study. Biochemistry **36** 6283. PMID: 9174343.

Pacofsky et al (1998) Potent dipeptide inhibitors of the pp60c-src SH2 domain. J.Med.Chem. 41 1894. PMID: 9599239.

