



# **Certificate of Analysis**

www.tocris.com

Product Name: CD 2314 Catalog No.: 3824 Batch No.: 2

CAS Number: 170355-37-0

IUPAC Name: 5-(5,6,7,8-Tetrahydro-5,5,8,8-tetramethyl-2-anthracenyl)-3-thiophenecarboxylic acid

### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{23}H_{24}O_2S$ Batch Molecular Weight:364.5Physical Appearance:White solid

Solubility: DMSO to 100 mM

ethanol to 10 mM with sonication

Storage: Store at +4°C

**Batch Molecular Structure:** 

#### 2. ANALYTICAL DATA

**TLC:**  $R_f = 0.61$  (Ethyl acetate:Petroleum ether [1:1])

HPLC: Shows 99.2% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 75.79 6.64

Found 75.83 6.69 0.05



# **Product Information**

Print Date: Feb 10th 2014

www.tocris.com

Product Name: CD 2314 Catalog No.: 3824 Batch No.: 2

CAS Number: 170355-37-0

IUPAC Name: 5-(5,6,7,8-Tetrahydro-5,5,8,8-tetramethyl-2-anthracenyl)-3-thiophenecarboxylic acid

#### **Description:**

Potent and selective RAR $\beta$  receptor agonist (K<sub>d</sub> values are 145 and >3760 nM for RAR $\beta$  and RAR $\alpha$  receptors respectively; no binding detected at RAR $\gamma$ ). Inhibits growth of human HNSCC 22B, 183A and 22A cells (IC<sub>50</sub> values are 3.0, 5.7 and 8.0  $\mu$ M respectively).

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>23</sub>H<sub>24</sub>O<sub>2</sub>S Batch Molecular Weight: 364.5 Physical Appearance: White solid

Minimum Purity: >98%

#### **Batch Molecular Structure:**

Storage: Store at +4°C

## Solubility & Usage Info:

DMSO to 100 mM

ethanol to 10 mM with sonication

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Szondy** (1998) Inhibition of activation-induced apoptosis of thymocytes by all-trans- and 9-cis-retinoic acid is mediated via retinoic acid receptor alpha. Biochem.J. **3** (1) 767. PMID: 9560303.

Sun (2000) Identification of receptor-selective retinoids that are potent inhibitors of the growth of human head and neck squamous cell carcinoma cells. Clin.Cancer Res. 6 (4) 1563. PMID: 10778990.

**Zhao** (2009) Mechanism of regulation and suppression of melanoma invasiveness by novel retinoic acid receptor-gamma target gene carbohydrate sulfotransferase 10. Cancer Res. **69** (12) 5218. PMID: 19470764.

