

# **Certificate of Analysis**

www.tocris.com

Product Name: Aspirin Catalog No.: 4092 Batch No.: 1

CAS Number: 50-78-2

IUPAC Name: 2-Acetoxybenzoic acid

### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_9H_8O_4$ Batch Molecular Weight:180.16Physical Appearance:White solid

Solubility: water to 10 mM DMSO to 100 mM

Storage: Store at RT

Batch Molecular Structure:

#### 2. ANALYTICAL DATA

HPLC: Shows 99.7% purity
<sup>1</sup>H NMR: Consistent with structure
Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 60 4.48 Found 60.18 4.49





## **Product Information**

Print Date: May 18th 2012

www.tocris.com

Product Name: Aspirin Catalog No.: 4092 Batch No.: 1

CAS Number: 50-78-2

IUPAC Name: 2-Acetoxybenzoic acid

#### **Description:**

Inhibitor of cyclooxygenase (COX)-1. Blocks the production of prostaglandins and thromboxanes. Exhibits antiplatelet and antithrombotic activities. Displays anticancer effects in some solid tumors. One of the first described NSAID drugs.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>9</sub>H<sub>8</sub>O<sub>4</sub> Batch Molecular Weight: 180.16 Physical Appearance: White solid

Minimum Purity: >99%

#### **Batch Molecular Structure:**

Storage: Store at RT

#### Solubility & Usage Info:

water to 10 mM DMSO to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Sanduja** *et al* (1991) Aspirin inhibits interleukin 1-induced prostaglandin H synthase expression in cultured endothelial cells. Proc.Natl.Acad.Sci. *15* 88.

Baron (1995) Aspirin and cancer. Preventative Medicine 24 121.

**Schror** (1997) Aspirin and platelets: the antiplatelet action of aspirin and its role in thrombosis treatment and prophylaxis. Semin.Thromb.Hemost. **23** 349. PMID: 9263351.

