

# **Certificate of Analysis**

### www.tocris.com

Product Name: Resiguimod Catalog No.: 4536 Batch No.: 1

CAS Number: 144875-48-9

IUPAC Name: 1-[4-Amino-2-(ethoxymethyl)-1*H*-imidazo[4,5-*c*]quinolin-1-yl]-2-methylpropan-2-ol

### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{17}H_{22}N_4O_2$ Batch Molecular Weight:314.38Physical Appearance:White solid

**Solubility:** DMSO to 100 mM

ethanol to 50 mM

Storage: Store at +4°C

**Batch Molecular Structure:** 

EtO OH

### 2. ANALYTICAL DATA

HPLC: Shows 98.7% purity

1H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 64.95 7.05 17.82 Found 64.89 6.78 17.75





## **Product Information**

www.tocris.com

Product Name: Resiquimod Catalog No.: 4536 Batch No.: 1

CAS Number: 144875-48-9

IUPAC Name: 1-[4-Amino-2-(ethoxymethyl)-1*H*-imidazo[4,5-*c*]quinolin-1-yl]-2-methylpropan-2-ol

#### **Description:**

Toll-like receptor 7 (TLR7) agonist. Induces upregulation of IL-6, IL-12, IFN- $\gamma$  and iNOS expression in mouse bone marrow-derived macrophages (BMMs). Inhibits RANKL-induced osteoclast differentiation in mouse BMMs and human peripheral blood monocytes. Pro-inflammatory and antiviral.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>17</sub>H<sub>22</sub>N<sub>4</sub>O<sub>2</sub> Batch Molecular Weight: 314.38 Physical Appearance: White solid

Minimum Purity: >98%

#### **Batch Molecular Structure:**

Storage: Store at +4°C

#### Solubility & Usage Info:

DMSO to 100 mM ethanol to 50 mM

#### **Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

Wagner et al (1999) Modulation of TH1 and Th2 cytokine production with the immune response modifiers, R-848 and imiquimod. Cell Immunol. 191 10. PMID: 9918682.

**Dockrell & Kinghorn** (2001) Imiquimod and resiquimod as novel immunomodulators. J.Antimicrob.Chemother. **48** 751. PMID: 11733457.

**Miyamoto** *et al* (2012) R848, a toll-like receptor 7 agonist, inhibits osteoclast differentiation but not survival or bone-resorbing function of mature osteoclasts. Cytotechnology. Epub ahead of print.. PMID: 22358541.

