



# **Certificate of Analysis**

www.tocris.com

Product Name: WAY 316606 hydrochloride Catalog No.: 4767 Batch No.: 1

IUPAC Name: 5-(Phenylsulfonyl)-*N*-4-piperidinyl-2-(trifluoromethyl)benzene sulfonamide hydrochloride

## 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:  $C_{18}H_{19}F_3N_2O_4S_2.HCI$ 

Batch Molecular Weight:484.94Physical Appearance:White solidSolubility:DMSO to 20 mMStorage:Store at +4°C

**Batch Molecular Structure:** 

## 2. ANALYTICAL DATA

**TLC:**  $R_f = 0.56$  (Pyridine:Acetic acid:Water:Butanol [3:8:11:44])


HPLC: Shows 99.8% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 44.58 4.16 5.78 Found 44.64 4.16 5.95





# **Product Information**

www.tocris.com

Product Name: WAY 316606 hydrochloride Catalog No.: 4767 Batch No.: 1

IUPAC Name: 5-(Phenylsulfonyl)-N-4-piperidinyl-2-(trifluoromethyl)benzene sulfonamide hydrochloride

#### **Description:**

Secreted Frizzled-Related Protein-1 (sFRP-1) inhibitor (IC $_{50}$  = 0.65  $\mu$ M); prevents sFRP-1 from interacting with Wnt and thus increases Wnt signaling. Increases total bone area in a murine calvarial organ culture assay.

#### **Physical and Chemical Properties:**

Batch Molecular Formula:  $C_{18}H_{19}F_3N_2O_4S_2$ .HCl

Batch Molecular Weight: 484.94 Physical Appearance: White solid

Minimum Purity: >99%

# **Batch Molecular Structure:**

Storage: Store at +4°C

## Solubility & Usage Info:

DMSO to 20 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Moore** *et al* (2009) Modulation of Wnt signaling through inhibition of secreted frizzled-related protein I (sFRP-1) with N-substituted piperidinyl diphenylsulfonyl sulfonamides. J.Med.Chem. *52* 105. PMID: 19072540.

**Bodine** *et al* (2009) A small molecule inhibitor of the Wnt antagonist secreted frizzled-related protein-1 stimulates bone formation. Bone *44* 1063. PMID: 19254787.

**Moore** *et al* (2010) Modulation of Wnt signaling through inhibition of secreted frizzled-related protein I (sFRP-1) with N-substituted piperidinyl diphenylsulfonyl sulfonamides: part II. Bioorg.Med.Chem. *18* 190. PMID: 19932972.

