

Human NKG2C/CD159c Alexa Fluor® 488-conjugated Antibody

Monoclonal Mouse IgG, Clone # 134591

Catalog Number: FAB138G 100 TESTS, 25 TESTS


DESCRIPTION		
Species Reactivity	Human	
Specificity	Detects human NKG2C/CD159c heterodimer with CD94 in flow cytometry. It does not cross-react with the human NKG2A/CD94 heterodime or with the human CD94 homodimer.	
Source	Monoclonal Mouse IgG ₁ Clone # 134591	
Purification	Protein A or G purified from hybridoma culture supernatant	
Immunogen	BaF3 mouse pro-B cell line transfected with human NKG2C/CD159c and CD94	
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm	
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.	
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	5 μL/10 ⁶ cells	See Below

DATA



Detection of NKG2C/CD159c in Human Blood Lymphocytes by Flow Cytometry. Human peripheral blood lymphocytes were stained with Mouse Anti-Human NCAM-1/CD56 APC-conjugated Monoclonal Antibody (Catalog # FAB2408A) and either (A) Mouse Anti-Human NKG2C/CD159c Alexa Fluor® 488-conjugated Monoclonal Antibody (Catalog # FAB138G) or (B) Mouse IgG 1 Alexa Fluor 848 Isotype Control (Catalog # IC002G). View our protocol for Staining Membrane-associated Proteins.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below

Stability & Storage

Protect from light. Do not freeze

• 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

NKG2C, also known as hemoglobin scavenger receptor, is a type I transmembrane protein expressed exclusively in monocytes and macrophages. It is a scavenger receptor cysteine-rich superfamily (SRCR-SF) protein that contains nine SRCR motifs in its extracellular region.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

