

Human IFN-α/β R1 APC-conjugated **Antibody**

Monoclonal Mouse IgG₁ Clone # 85228

Catalog Number: FAB245A

100 TESTS


DESCRIPTION			
Species Reactivity	Human		
Specificity	Detects human IFN-α/β R1 in direct ELISAs and Western blots. In direct ELISAs, does not cross-react with recombinant human (rh) IFN-γ R rhIFN-γ R2, recombinant mouse IFN-α/β R2, rhIL-10 Rβ, rhIL-10 Rα, or rhIL-20 Rβ.		
Source	Monoclonal Mouse IgG ₁ Clone # 85228		
Purification	Protein A or G purified from hybridoma culture supernatant		
Immunogen	S. frugiperda insect ovarian cell line Sf 21-derived recombinant human IFN-α/β R1 Lys28-Lys436 Accession # AAA52730		
Conjugate	Allophycocyanin Excitation Wavelength: 620-650 nm Emission Wavelength: 660-670 nm		
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.		
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Shee (SDS) for additional information and handling instructions.		

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

<u> </u>	Recommended Concentration	Sample
Flow Cytometry	10 μL/10 ⁶ cells	See Below

DATA



Detection of IFN- α/β R1 in Human Blood Monocytes by Flow Cytometry. Human peripheral blood monocytes were stained with Mouse Anti-Human IFN-α/β R1 APCconjugated Monoclonal Antibody (Catalog # FAB245A, filled histogram) or isotype control antibody (Catalog # IC002A, open histogram). View our protocol for Staining Membrane-associated Proteins

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage

Protect from light. Do not freeze.

• 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

Type I interferons (IFN- α , IFN- β , IFN- β) bind to the type I IFN receptor, also called the IFN alpha/beta receptor. This receptor is composed of two chains, IFN- α / β R1 and R2.

PRODUCT SPECIFIC NOTICES

Sold under license from Pestka Biomedical Laboratories, Inc. d/b/a PBL Interferon Source.

