

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human LAP (TGF- β 1) in direct ELISAs. In direct ELISAs, this antibody does not cross-react with recombinant human (rh) TGF- β 1, rhTGF- β 2, rhTGF- β 1.2, rhTGF- β 3, or rhTGF- α .
Source	Monoclonal Mouse IgG ₁ Clone # 27232
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf 21-derived recombinant human LAP (TGF- β 1) Leu30-Arg278 (Cys33Ser) Accession # P01137
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 μ g/10 ⁶ cells	Human platelets

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

The TGF- β family includes several related proteins (70-80% sequence homology) from mammalian, avian, or *Xenopus* systems that are now designated TGF- β 1, TGF- β 2, TGF- β 1.2, TGF- β 3, TGF- β 4, and TGF- β 5. These proteins are secreted by cells in the form of an inactive complex, referred to as latent TGF- β , that consists of TGF- β associated non-covalently with a Latency-associated peptide (LAP). These two proteins are synthesized as a single pro-peptide that is cleaved in a post Golgi compartment prior to secretion. Different TGF- β family members are naturally associated with their own distinct LAPs.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.