

DESCRIPTION

| | |
|---------------------------|--|
| Species Reactivity | Human |
| Specificity | Detects human Galanin in direct ELISAs. |
| Source | Monoclonal Mouse IgG _{2B} Clone # 581403 |
| Purification | Protein A or G purified from hybridoma culture supernatant |
| Immunogen | <i>E.coli</i> -derived recombinant human Galanin Ala20-Ser123 Accession # P22466 |
| Conjugate | Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm |
| Formulation | Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions. |

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

| | Recommended Concentration | Sample |
|---|----------------------------------|--|
| Intracellular Staining by Flow Cytometry | 0.25-1 µg/10 ⁶ cells | U-87 MG human glioblastoma/astrocytoma cell line, fixed with paraformaldehyde and permeabilized with saponin |

PREPARATION AND STORAGE

| | |
|--------------------------------|--|
| Shipping | The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below. |
| Stability & Storage | Protect from light. Do not freeze. <ul style="list-style-type: none"> 12 months from date of receipt, 2 to 8 °C as supplied. |

BACKGROUND

Galanin (Glycine-Alanine, representing the N-and C-terminal amino acids in bovine Galanin; also GAL) is a 3 kDa (predicted), secreted member of the Galanin family of peptides. It is co-expressed with differing neuropeptides in a variety of neuron cell types. Galanin affects multiple metabolic processes by binding to one of three GPCRs. GalR1 blocks insulin secretion, GalR2 initiates neurogenesis and GalR3 influences addictive behavior. The human Galanin proform is 11-12 kDa in size (predicted) and 104 amino acids (aa) in length. Proteolytic processing generates a 30 aa mature Galanin peptide (aa 33-62), plus a phosphorylated (Ser117), C-terminal 59 aa GMAP fragment that is apparently involved in the processing of noxious stimuli. Once secreted, Galanin can undergo additional proteolytic degradation. Over aa 20-123, the human Galanin proform shares 72% aa identity with mouse Galanin proform.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.