

## DESCRIPTION


<b>Species Reactivity</b>	Human/Mouse
<b>Specificity</b>	Detects human FABP4/A-FABP in direct ELISAs and human and mouse FABP4/A-FABP in Western blots. In direct ELISAs, 100% cross-reactivity with recombinant mouse (rm) FABP4, 50% cross-reactivity with recombinant human (rh) FABP3, 15% cross-reactivity with rhFABP3, and no cross-reactivity with rhFABP8 or rhFABP9 is observed.
<b>Source</b>	Monoclonal Rat IgG <sub>1</sub> Clone # 804914
<b>Purification</b>	Protein A or G purified from hybridoma culture supernatant
<b>Immunogen</b>	<i>E. coli</i> -derived recombinant human FABP4/A-FABP Met1-Ala132 Accession # P15090
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution in PBS with Trehalose. See Certificate of Analysis for details. *Small pack size (-SP) is supplied as a 0.2 µm filtered solution in PBS.

## APPLICATIONS

**Please Note:** Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
<b>Western Blot</b>	1 µg/mL	See Below

## DATA



## PREPARATION AND STORAGE

<b>Reconstitution</b>	Sterile PBS to a final concentration of 0.5 mg/mL.
<b>Shipping</b>	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below. *Small pack size (-SP) is shipped with polar packs. Upon receipt, store it immediately at -20 to -70 °C
<b>Stability &amp; Storage</b>	<b>Use a manual defrost freezer and avoid repeated freeze-thaw cycles.</b> <ul style="list-style-type: none"> <li>● 12 months from date of receipt, -20 to -70 °C as supplied.</li> <li>● 1 month, 2 to 8 °C under sterile conditions after reconstitution.</li> <li>● 6 months, -20 to -70 °C under sterile conditions after reconstitution.</li> </ul>

## BACKGROUND

FABP4, also known as adipocyte P2 and A-FABP (adipocyte FABP), is a FABP family member that is expressed in adipocytes and monocyte-derived foam cells. It is a lipid transport protein that binds long chain fatty acid and retinoic acid. Human and mouse FABP4 share 91% amino acid sequence homology.