Product Datasheet

GRASP Antibody

Catalog No: #21449

Package Size: #21449-1 50ul #21449-2 100ul #21449-4 25ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

$\overline{}$			
1	escri	ınt	ınn
$\boldsymbol{\nu}$	COUL	ιρι	ווטו


Product Name	GRASP Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were	
	purified by affinity-chromatography using epitope-specific peptide	
Applications	WB	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous level of total GRASP protein.	
Immunogen Type	Peptide-KLH	
Immunogen Description	Peptide sequence around aa. 814-818(Q-E-I-V-R) derived from Rat GRASP.	
Target Name	GRASP	
Other Names	Gripap; Grasp; GRIP1-associated protein	
Accession No.	Swiss-Prot: Q9JHZ4NCBI Protein: NP_064522.3	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.	

Application Details

Predicted MW: 95kd

Western blotting: 1:500~1:1000

Images



Western blot analysis of extracts from rat brain and mouse brain tissue using GRASP Antibody #21449

Background

GRASP (GRP1-associated scaffold protein, tamalin) is a 395 amino acid protein

encoded by the human gene GRASP . GRASP is a scaffold protein that com-prises multiple protein-interacting domains, including a 95 kDa postsynaptic density protein (PSD-95)/discs-large/ZO-1 (PDZ) domain, a leucine-zipper

region and a carboxyl-terminal PDZ-binding motif. GRASP is involved with intracellular trafficking and contributes to the macromolecular organization of group 1 metabotropic glutamate receptors (mGluRs) at synapses. GRASP forms a heteromer composed of GRASP, PSCD2 and at least one mGluR-1. It also interacts with PSCD3, mGluR-2, mGluR-3 and mGluR-5. GRASP is highly expressed in brain and has lower levels of expression in lung, heart, embryo, kidney and ovary.

Kitano, J., Kimura, K., Yamazaki, Y., Soda, T., Shigemoto, R., Nakajima, Y.and Nakanishi, S. 2002. Tamalin, J. Neurosci. 22: 280-1289. Hall, B.S., Gabernet-Castello, C., Voak, A., Goulding, D., Natesan, S.K. and Field, M.C. 2006. J. Biol. Chem. 281: 27600-27612. Sugi, T., Oyama, T., Muto, T., Nakanishi, S., Morikawa, K. and Jingami, H. 2007. Crystal structures of autoinhibitory PDZ domain of Tamalin EMBO J.26: 2192-2205.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.