SUOX antibody

Catalog No: #22275




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description


| Product Name          | SUOX antibody   |  |  |
|-----------------------|---|--|--|
| Host Species          | Rabbit  |  |  |
| Clonality             | Polyclonal  |  |  |
| Purification          | Purified by antigen-affinity chromatography.  |  |  |
| Applications          | WB IHC IF   |  |  |
| Species Reactivity    | Hu  |  |  |
| Immunogen Type        | Recombinant protein   |  |  |
| Immunogen Description | Recombinant protein fragment contain a sequence corresponding to a region within amino acids 1 and 261 of |  |  |
|                       | Human SUOX  |  |  |
| Target Name           | SUOX  |  |  |
| Accession No.         | NCBI Gene ID: 6821NCBI mRNA#: NM_000456NCBI Protein#: NP_000447   |  |  |
| Formulation           | Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a          |  |  |
|                       | preservative.   |  |  |
| Storage               | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.                 |  |  |

| Application Details            |      |  |  |
|--------------------------------|------|--|--|
| Predicted MW: 60kd             |      |  |  |
| Western blotting: 1:500-1:3000 |      |  |  |
| Immunohistochemistry: 1:100-1  | :250 |  |  |
| Immunofluorescence: 1:100-1:2  | 00   |  |  |


## Images



Sample(30 ug whole cell lysate) A: Hep G2 7.5% SDS PAGE Primary antibody diluted at 1: 500



Immunohistochemical analysis of paraffin-embedded OVCA xenograft, using SUOX antibody at 1: 100 dilution.



Immunofluorescence analysis of methanol-fixed HepG2, using SUOX antibody at 1: 200 dilution.

## Background

Sulfite oxidase is a homodimeric protein localized to the intermembrane space of mitochondria. Each subunit contains a heme domain and a molybdopterin-binding domain. The enzyme catalyzes the oxidation of sulfite to sulfate, the final reaction in the oxidative degradation of the sulfur amino acids cysteine and methionine. Sulfite oxidase deficiency results in neurological abnormalities which are often fatal at an early age. Alternative splicing results in multiple transcript variants encoding identical proteins. [provided by RefSeq]

Note: This product is for in vitro research use only and is not intended for use in humans or animals.