## **Eotaxin Antibody**

Catalog No: #24014



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$		4.0
$\mathbf{I}$	Decri	ption
$\boldsymbol{L}$	COUL	บแบบ

Host Species Rabbit Clonality Polyclonal Purification DEAE purified Applications E WB ICC Species Reactivity Hu Immunogen Type Peptide
Purification DEAE purified  Applications E WB ICC  Species Reactivity Hu
Applications E WB ICC Species Reactivity Hu
Species Reactivity Hu
***************************************
Immunogen Type Peptide
Immunogen Description Eotaxin antibody was raised in rabbits against a peptide corresponding to amino acids near the carboxy
terminus of human eotaxin.
Target Name Eotaxin
Accession No. CAB07027
Formulation Supplied in PBS containing 0.02% sodium azide.
Storage Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated
freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.


## **Application Details**

Predicted MW: 9 - 18 kd

## Images



Western blot analysis of eotaxin in HeLa cell lysate containing 10, 2.5, or 1 ng of full length recombinant eotaxin with eotaxin antibody at 1 ug/mL.



Immunocytochemistry of Eotaxin in 293 cells with Eotaxin antibody at 5 ug/mL.

## Background

Chemokines play a key role in inflammation. The CC chemokine eotaxin is a potent and specific eosinophil chemoattractant that is expressed by a variety of cell types in certain inflammatory conditions. Some G-protein coupled chemokine receptors are also utilized as virus coreceptors for fusion and infection of cells. The eotaxin receptor CCR3 is required for HIV-1 entry into target cells such as microglia and eotaxin inhibits the infection of HIV-1.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.