AIF Antibody

Catalog No: #24105



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$			
	escr	מוי	tion
\boldsymbol{L}	COUL	ıv	เเบเ

Product Name	AIF Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Ion exchange chromatography purified	
Applications	E WB IHC	
Species Reactivity	Hu Ms Rt	
Immunogen Type	Peptide	
Immunogen Description	Raised against a peptide corresponding to amino acids 517 to 531 of human AIF. This sequence is identical	
	to those of mouse and rat AIF.	
Target Name	AIF	
Other Names	AIF	
Accession No.	O95831	
Formulation	Supplied in PBS containing 0.02% sodium azide.	
Storage	Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated	
	freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.	


Application Details

Predicted MW: 67 kd

Images



Western blot analysis of AIF in K562 cell lysate (A), rat heart (B), and mouse heart (C) tissue lysates with AIF antibody (IN) at 1 ug/mL.



Immunohistochemistry of AIF in human retina with AIF antibody at 10 ug/mL.

Background

Apoptosis is characterized by several morphological nuclear changes including chromatin condensation and nuclear fragmentation. These changes are triggered by the activation of members of caspase family, caspase activated DNase, and several novel proteins. A novel gene, the product of which causes chromatin condensation and DNA fragmentation, was recently identified, cloned, and designated apoptosis inducing factor (AIF). Like the critical molecules, cytochrome c and caspase-9, in apoptosis, AIF localizes in mitochondria. AIF translocates to the nucleus when apoptosis is induced and induces mitochondria to release the apoptogenic proteins cytochrome c and caspase-9. AIF induces chromatin condensation and large scale DNA fragmentation, which are the hallmarks of apoptosis, of the isolated nucleus and the nucleus in live cells by microinjection and apoptosis stimuli. AIF is highly conserved between human and mouse and widely expressed.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.