MTBP Antibody

Catalog No: #24140



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


	4.5
I Descri	ntion
Descri	puon

Product Name	MTBP Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Affinity chromatography purified via peptide column	
Applications	E WB ICC	
Species Reactivity	Hu	
Immunogen Type	Peptide	
Immunogen Description	Raised against a synthetic peptide corresponding to amino acids 122 to 139 of human MTBP, which differ	
	from the mouse sequence by three amino acids.	
Target Name	МТВР	
Other Names	MTBP	
Accession No.	NP_071328	
Formulation	Supplied in PBS containing 0.02% sodium azide.	
Storage	Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated	
	freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.	


Application Details

Predicted MW: 104 kd

Images



Western blot analysis of MTBP expression in K562 whole cell lysates with MTBP antibody at 1 μ ml.



Immunocytochemistry of MTBP in K562 cells with MTBP antibody at 5 ug/mL.

Background

The p53 tumor-suppressor gene integrates numerous signals that control cell life and death. Several novel molecules involved in p53 network, including Chk2, p53R2, p53AlP1, Noxa, PIDD, PID/MTA2 and MTBP, were recently discovered. The transcriptional activity of p53 is modulated by posttranslational regulations of the p53 protein including stabilization and acetylation. P53 transcriptionally activates MDM2 gene then the translated MDM2 protein binds to p53 and promotes the degradation of p53 leading to lowering the concentration of p53 protein. MDM2 inhibits both p53 mediated G1 arrest and apoptosis. A recently discovered protein termed MTBP was found to bind to MDM2 and to inhibit the modulation effect of MDM2 on p53. MTBP is expressed in a variety of normal tissues.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.