## **TOLLIP Antibody**

Catalog No: #24388




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

$\overline{}$		4.0
1	Decri	ption
$\boldsymbol{L}$	COUL	บแบบ

Product Name	TOLLIP Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Affinity chromatography purified via peptide column	
Applications	E WB ICC	
Species Reactivity	Hu Ms Rt	
Immunogen Type	Peptide	
Immunogen Description	Raised against a 16 amino acid peptide from near the carboxy terminus of human TOLLIP.	
Target Name	TOLLIP	
Other Names	Toll interacting protein	
Accession No.	AAH18272	
Formulation	Supplied in PBS containing 0.02% sodium azide.	
Storage	Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated	
	freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.	

## Images



Western blot analysis of TOLLIP in rat brain cell lysate with TOLLIP antibody at (A) 1 and (B) 2  $\mu$ .



Immunocytochemistry of TOLLIP in THP-1 cells with TOLLIP antibody at 2  $\mbox{ug/mL}$ .

## Background

Toll-like receptors (TLRs) are evolutionarily conserved pattern-recognition molecules resembling the toll proteins that mediate antimicrobial responses in Drosophila. These proteins recognize different microbial products during infection and serve as an important link between the innate and adaptive immune responses. The TLRs act through adaptor molecules to activate various kinases and transcription factors so the organism can respond to potential infection. These adaptor molecules include TOLLIP, MyD88, and TRIF. TOLLIP associates directly with TLR2 and TLR 4, acting as an inhibitor to TLR activation. This negative regulation of TLR signaling may serve to limit the production of proinflammatory mediators during infection and inflammation.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.