CSTA Antibody

Catalog No: #32973



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_				
	esc	rır	۱t17	nn.
		7 1 1 4	лι	7/1

Product Name	CSTA Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were purified by affinity purification using immunogen.	
Applications	WB IHC	
Species Reactivity	Hu	
Specificity	The antibody detects endogenous level of total CSTA protein.	
Immunogen Type	Recombinant Protein	
Immunogen Description	Recombinant protein of human CSTA.	
Target Name	CSTA	
Other Names	AREI; STF1; STFA;	
Accession No.	Swiss-Prot:P01040NCBI Gene ID:1475	
SDS-PAGE MW	11KD	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C	

Application Details

Western blotting: 1:500 - 1:2000 Immunohistochemistry: 1:50 - 1:200

Images



Western blot analysis of extracts of THP-1 cell line, using CSTA antibody.

Background

The cystatin superfamily encompasses proteins that contain multiple cystatin-like sequences. Some of the members are active cysteine protease inhibitors, while others have lost or perhaps never acquired this inhibitory activity. There are three inhibitory families in the superfamily, including the

type 1 cystatins (stefins), type 2 cystatins, and kininogens. This gene encodes a stefin that functions as a cysteine protease inhibitor, forming tight complexes with papain and the cathepsins B, H, and L. The protein is one of the precursor proteins of cornified cell envelope in keratinocytes and plays a role in epidermal development and maintenance. Stefins have been proposed as prognostic and diagnostic tools for cancer.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.