Oct4 Antibody

Catalog No: #35351

Description




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Oct4 Antibody Product Name Host Species Rabbit Clonality Polyclonal Purification Antibodies were purified by antigen-affinity chromatography. WB Applications Hu Ms Species Reactivity Specificity The antibody detects endogenous levels of total Oct4 protein. **Recombinant Protein** Immunogen Type Immunogen Description Recombinant fragment corresponding to a region within amino acids 101 and 325 of OCT3/4. Target Name Oct4 Other Names MGC22487 antibody; OTF-3 antibody; OTF3 antibody; OTF4 antibody; POU5F1 antibody; POU-type homeodomain-containing DNA-binding protein antibody; octamer-binding protein 3 antibody; POU domain transcription factor OCT4 antibody; octamer-binding protein 4 an Swiss-Prot#:Q01860;NCBI Gene#:5460 Accession No. SDS-PAGE MW 39kd Concentration 0.48mg/ml Rabbit IgG in 0.1M Tris, 0.1M Glycine, 10% Glycerol (pH7). 0.01% Thimerosal was added as a preservative. Formulation Store at -20°C Storage


Application Details

Western blotting: 1:500-1:3000

Images



Sample (20 ug of whole cell lysate) A: human ESC 10% SDS PAGE #35351 diluted at 1:500



Background

This gene encodes a transcription factor containing a POU homeodomain. This transcription factor plays a role in embryonic development, especially during early embryogenesis, and it is necessary for embryonic stem cell pluripotency. A translocation of this gene with the Ewing's sarcoma gene, t(6;22)(p21;q12), has been linked to tumor formation. Alternative splicing, as well as usage of alternative translation initiation codons, results in multiple isoforms, one of which initiates at a non-AUG (CUG) start codon. Related pseudogenes have been identified on chromosomes 1, 3, 8, 10, and 12. [provided by RefSeq]

Note: This product is for in vitro research use only and is not intended for use in humans or animals.