

Nomenclature NR2A1

X87871

Genbank

Specificity

Origin

Perseus Proteomics Inc.

4-7-6, Komaba, Meguro-ku, Tokyo 153-0041

TEL: +81-3-5738-1705 FAX: +81-3-3481-5760 https://www.ppmx.com info@ppmx.com

## Anti human HNF4 alpha mouse monoclonal antibody(ProteinA purified)

Hepatocyte nuclear factor 4 alpha

Code No	PP-H1415-0C
Clone No.	H1415
Lot.	B-1
Concentration	1 mg/mL
Volume	100 uL
lg Class	G2a
Description	Hepatocyte nuclear factor 4 alpha (HNF4, HNF4a;

Hepatocyte nuclear factor 4 alpha (HNF4, HNF4a; NR2A1) is a member of orphan nuclear receptor. HNF4a is expressed in the liver, kidney, intestine and pancreas. Mutation of HNF4a in humans has been associated with maturity-onset diabetes of the young type 1 (MODY1). HNF4 binds to DNA as an exclusive homodimer. The HNF4a gene is alternatively spliced and may generate up to nine different isoforms, HNF4a1 through HNF4a9.

Produced in serum-free medium with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived

from a BALB/c mouse immunized with Baculovirus-

expressed recombinant human HNF4 alpha (393-461

This antibody specifically recognizes human HNF4


alpha 1, 2, 4, 5, 7,8 and cross reacts with mouse and

## Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot	1 ug/mL
Non reducing Western Blot	Decide by use
ELISA	0.3 ug/mL
Immunoprecipitation	Decide by use
Supershift Assay	2ng/assay
Chromatin immunoprecipitatic	Decide by use

10-20 ug/mL Immunohistochemistry



Human intestinum tenue

Human Liver

Hepatocyte Paraffin section

Storage

Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Reference

Tanaka T, et al. J Pathol. 2006; 208(5): 662-72 Sugai M, et al. Pathol Int. 2008; 58(11): 681-6

Purification	Affinity chromatography with Protein A
Formulation	Physiologic saline with 0.1 % NaN3.

rat HNF4 alpha 1, 2, 4, 5, 7,8.

Notes

Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

## FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.