

Peroxichrom[™]/ **Peroxichrom Excel**[™]

TMB peroxidase substrate solution (1-component) for ELISA

Cat. No.

D5015-100 (Peroxichrom™, 100ml)


D5015-400 (Peroxichrom[™], 400ml)

D5016-100 (peroxichrom Excel™, 100ml)

D5016-400 (peroxichrom Excel™, 400ml)

Highlights of TMB substrate kit

- Ready to use single component
- Highest sensitivity
- Sufficient dynamic range
- Easy to use
- Noncarcinogenic
- No DMF or DMSO present in the reagent
- Stable at RT for 1 month (Stable at 4℃ for 1 year)
- Easy to transport



Description

TMB substrate(3,3'.5,5'-tetramethylbenzidine) is a chromogen that yields a deep blue color (maximum absorbance at 605nm or 650nm) when oxidized with hydrogen peroxide(catalyzed by HRP). The color then changes to yellow with the addition of 2N H_2SO_4 with maximum absorbance at 450 nm. Our TMB Substrates(PeroxichromTM, Peroxichrom ExcelTM) are one-component substrates that require no preparation before using, stable and sensitivity. Also PeroxichromTM and Peroxichrom ExcelTM contain no organic solvents such as DMF, DMSO, and methanol so there is no issue of safety with user.

Precautions

TMB substrate is sensitive to contamination from a variety of oxidizing agents. Avoid prolonged exposure to light, contact with metal or air. We recommend using TMB substrate by pouring out required amount into a reservoir and do not return excess TMB to provided bottle.

Storage

Stable at RT for 1 month (Stable at 4°C for 1 year)

Procedure

- 1. Warm to room temperature prior to use if you store TMB solution at 4°C
- 2. Dispense 1-Component appropriate TMB solution or 100ul into each well
- 3. After sufficient color development (5-10minutes at room temperature or at 37° C) Add 50ul Stop Solution (2N H₂SO₄ or 1M H₃PO₄) to each well.
- 4. Read plates at 450nm