

NEP / DDR1 Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A2853 - LSBio	
CatalogID:	LS-A2853
Target:	discoidin domain receptor tyrosine kinase 1 (DDR1)
Synonyms:	DDR1 Antibody, Cell adhesion kinase Antibody, CD167 Antibody, CD167a antigen Antibody, EDDR1 Antibody, ENTRK4 Antibody, Mammary carcinoma kinase 10 Antibody, MCK10 Antibody, NEP Antibody, PTK3 Antibody, PTK3A Antibody, RTK6 Antibody, Tyrosine-protein kinase CAK Antibody, CAK Antibody, DDR Antibody, Discoidin domain receptor 1 Antibody, HGK2 Antibody, MCK-10 Antibody, NTRK4 Antibody, Protein-tyrosine kinase 3A Antibody, Protein-tyrosine kinase RTK-6 Antibody, TRK E Antibody, TRKE Antibody, Tyrosine kinase DDR Antibody
Family / Subfamily:	Protein Kinase / DDR/TKT
Host	DDR1 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	NEP / DDR1 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	NEP / DDR1 antibody was raised against synthetic 16 amino acid peptide from internal region of human DDR1. Percent identity with other species by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Elephant, Horse (100%); Bovine, Rabbit, Pig (94%); Monkey, Panda (88%); Dog, Bat, Opossum, Platypus (81%).
Specificity:	Human DDR1. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Internal
Reactivity:	Human, Chimpanzee, Gorilla, Gibbon, Monkey, Horse
Predicted Reactivity:	Bovine, Pig, Rabbit
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (2 μ g/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:

Anti-DDR1 antibody LS	A2853 IHC of human placenta. Immunohistochemistry of formalin-	
Requested From:	Japan	
Laboratory Reagent For In Vitro Research Use Only		
Not for resale without prior written consent from LifeSpan BioSciences, Inc. Created on 9/23/2014		
© 2014 LifeSpan BioSciences		